GENERAL NOTES:

1. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE EXACT LOCATION OF ALL UTILITY SERVICES AND SLOPE PRIOR

TO BID/INSTALLATION. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS BEFORE COMMENCING WORK AND REPORT ANY AND ALL

DISCREPANCIES BETWEEN ACTUAL CONDITIONS AND THESE PLANS TO THE ENGINEER/ARCHITECT IMMEDIATELY. CONTRACTOR SHALL MAKE ALL NECESSARY MODIFICATIONS DURING THE CONSTRUCTION PROCESS TO COMPLY WITH I.R.C. (INTERNATIONAL RESIDENTIAL CODE), LATEST EDITION, OR APPLICABLE CODES AT SITE.

CONTRACTOR SHALL VERIFY ALL INTERIOR FINISHES, FLOOR COVERINGS, AND TRIM SIZES & CONFIGURATIONS WITH OWNER PRIOR TO CONSTRUCTION.

5. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO VERIFY CLEARANCES OF THE ITEMS MENTIONED IN THE DRAWINGS

PRIOR TO THE CONSTRUCTION. 6. EXTERIOR WALL AND ROOF FINISHES AS PER CUSTOMER'S CHOICE.

7. REFER TO MANUFACTURER'S SPECS FOR ROUGH OPENING DIMENSIONS, FOR DOOR AND WINDOWS. 8. ALL BEAMS SIZES TO BE VERIFIED BY THE STRUCTURAL ENGINEER.

DOOR SCHEDULE								
	WIDTH (OPENING)	HEIGHT	QTY.	DESCRIPTION				
1	4200	2040	1	GARAGE DOOR				
2	1037	2040	2	SINGLE FRENCH DOOR				
3	1600	2040	1	DOUBLE FRONT DOOR				
4	1600	2040	1	DOUBLE FRENCH DOOR				
5	900	2040	1	HOLLOW CORE				
6	800	2040	7	HOLLOW CORE				
7	700	2040	2	HOLLOW CORE				
(8)	1800	2040	3	SLIDING CLOSET DOOR				

	WINDOW SCHEDULE						
	WIDTH (OPENING)	HEIGHT	QTY.	DESCRIPTION			
A	1938	600	2	FIXED			
B	1338	1200	8	SLIDER WINDOW			
C	1937	1200	2	SLIDER WINDOW			

AREA CALCULATION	
LIVING AREA:	223 SF
WORKSHOP:	67 SF
BREEZEWAY:	56 SF
TOTAL FLOOR AREA:	346 SF



















